





Photo shows Pump with optional inlet trap and exhaust mist eliminator installed. See page 12 to order these accessories. Power on/off switch, resettable circuit breaker and line cord are standard on pumps shipped with single phase motors.



Pumping Speed @ 60 Hz	100 l/min, 3.5 CFM, 6 m ³ /hr.
Pumping Speed @ 50 Hz	83 l/min, 3 CFM, 5 m ³ /hr.
Ultimate Pressure Gas Ballast Closed	5x10 ⁻⁴ Torr, 6.7x10 ⁻² Pa, .0006 mbar
Ultimate Pressure Gas Ballast Open	5x10 ⁻² Torr, 6.7 Pascal, .06 mbar
Standard Motor, On/Off Switch, Circuit Breaker, & Thermal Protection	115/208-230V, 1Ø, 1/2 hp, 60 Hz (50Hz Avail)
CE Mark, complies with	Machinery Directive 98/37/EC
Optional Motors	See ordering information
Power Connection	6 ft. (2 m) 3 conductor cord
Motor speed @ 60 Hz	1700 r.p.m.
Oil capacity	500 cc; 0.53 Qt.
Weight Net: 50 lbs., 23 kg	Shipping: 54 lbs., 24 kg
Intake & exhaust type/diameter	NW-25 or 26 mm O.D. Tube
Ambient operating temperature	7° to 40°C, 45° to 104°F




Features

- Extremely Quiet • Anti Suck Back Design
- Satisfaction Guaranteed • Two Year Warranty
- Virtually Vibration Free • Motors for Any Voltage
- Complies with Machinery Directive 98/37/EC

Applications

- Backing Turbo Pumps • Electron Microscopes
- Vacuum Ovens & Furnaces • Freeze Dryers
- Cluster Tool Load Locks • Sputter & Deposition Systems

Typical Installation



Ordering Information

MODEL 100-3.5 Vacuum Pump With Motor:

Note: Tolerance is ± 10% of nominal valve for all voltages.

115 or 208 to 230V, 60 Hz, 1Ø, 0.4 kw (1/2 hp)

Full load amps: 8.5 or 4.5 to 4.0 amps

p/n 100-115/230-60\$1685.

115 or 230V, 50 or 60 Hz, 1Ø, 0.4 kw (1/2 hp)

Full load amps @50 Hz; 8.8 or 4.4 A @ 60 Hz; 7.2 or 3.6 A

p/n 100-115/230-50/60\$1685.

115 or 230V, 50 Hz, 1Ø, 0.4 kw (1/2 hp) Full load amps: 9.4 or 4.7 A

p/n 100-115/230-50\$1685.

230 or 380V, 50 or 60 Hz, 3Ø, 0.4 kw (1/2 hp)

Full load current: 1.82 or 1.3 A

p/n 100-OPT-380-50/60\$1685.

230 or 460V, 60 Hz, 3Ø, 0.4 kw (1/2 hp) Full load current: 1.8 or 0.9 A

p/n 100-230-/460-60\$1685.

Exhaust Mist EliminatorsSee Page 12